



ARIAL EXTLIFE SAE 10W-40 HC-L

лв. 11.48 - лв. 392.80 с ДДС



A universal motor oil, recommended for use in petrol- and diesel engines, with or without turbo-charging, in passenger cars and delivery vans

SKU: 101014

Categories: [Engine oils for mixed fleets](#),
[Engine oils for passenger cars](#)

VARIATIONS

Image	SKU	Price	Stock Status	Stock Quantity	Description Liters
-------	-----	-------	--------------	----------------	--------------------




AR002104020 лв. 11.48 с ДДС

1L



AR002104040 лв. 50.76 с ДДС

5L

Image	SKU	Price	Stock Status	Stock Quantity	Description Liters
	AR002104060	лв. 392.80 с ДДС			60L

PRODUCT DESCRIPTION

This universal motor oil is produced with special base oils that have a natural high viscosity index, to which additives are added to obtain the following properties:

- a high and stable viscosity index
- a fast cold start
- a strong resistance against oxidation
- a safe lubrication film at high temperature
- a good detergency and dispersion
- a strong protection against wear, corrosion and foaming

Application:

A universal motor oil, recommended for use in petrol- and diesel engines, with or without turbo-charging, in passenger cars and delivery vans.

Performance Level:

ACEA A3/B3, A3/B4-08

API SL/CF

MB 229.1

VW 501.01/505.00

Typicals:

Density at 15 °C, kg/l: 0,870

Viscosity -25 °C, mPa.s: 6000

Viscosity 40 °C, mm²/s: 92,00

Viscosity 100 °C, mm²/s: 13,80

Viscosity Index: 153

Flash Point COC, °C: 232

Pour Point, °C: -39

Total Base Number, mgKOH/g: 8,3

Sulphate Ash, %: 1,08

Packaging:

litres	packing	per box	per pallet
1	canister	12	*600
5	canister	4	*120
20	canister	-	24
60	barrel	-	9
208	barrel	-	4
1000	pallet tank	-	1

*CP pallet size 114 x 114 cm. The number of boxes on a pallet may vary depending on the order.